



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/913,344	08/10/2001	Gerhard Hans Schleser	21975	4119
535	7590	12/03/2003		
THE FIRM OF KARL F ROSS 5676 RIVERDALE AVENUE PO BOX 900 RIVERDALE (BRONX), NY 10471-0900				
			EXAMINER LANGEL, WAYNE A	
			ART UNIT 1754	PAPER NUMBER

DATE MAILED: 12/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/913344

Applicant(s)

Schleser et al

Examiner

Langel

Group Art Unit

1754

— The MAILING DATE of this communication appears on the cover sheet beneath the correspondence address —

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE ONE MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, such period shall, by default, expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- ☐ Responsive to communication(s) filed on _____
- ☐ This action is **FINAL**.
- ☐ Since this application is in condition for allowance except for formal matters, **prosecution as to the merits is closed** in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

- ☒ Claim(s) 1-17 is/are pending in the application.
- Of the above claim(s) _____ is/are withdrawn from consideration.
- ☐ Claim(s) _____ is/are allowed.
- ☒ Claim(s) ~~1-17~~ is/are rejected.
- ☐ Claim(s) _____ is/are objected to.
- ☒ Claim(s) 1-17 are subject to restriction or election requirement

Application Papers

- ☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.
- ☐ The drawing(s) filed on _____ is/are objected to by the Examiner
- ☐ The specification is objected to by the Examiner.
- ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119 (a)-(d)

- ☒ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119 (a)-(d).
- ☒ All ☐ Some* ☐ None of the:
 - ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____
- ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a))

*Certified copies not received: _____

Attachment(s)

- ☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____
- ☐ Interview Summary, PTO-413
- ☐ Notice of Reference(s) Cited, PTO-892
- ☐ Notice of Informal Patent Application, PTO-152
- ☐ Notice of Draftsperson's Patent Drawing Review, PTO-948
- ☐ Other _____

Office Action Summary

Art Unit 1754

Restriction to one of the following inventions is required under 35 U.S.C. § 121:

I. Claims 1-8, drawn to a method of liberating oxygen isotopes from oxygen-containing solids to form carbon monoxide and/or carbon dioxide, classified in Class 423, subclass 418.2.

II. Claims 9-17, drawn to an apparatus for liberating oxygen isotopes from oxygen-containing solids, classified in Class 422, subclass 129.

The inventions are distinct, each from the other because of the following reasons:

Claims 1-8 lack unity with claims 9-17 under PCT Rule 13.2, since there is no technical relationship among the two groups of inventions involving one or more of the same or corresponding special technical features. The only technical feature which the claims have in common is that both sets of claims require the presence of graphite. However the mere presence of graphite would not constitute a "special technical feature" shared by both groups of claims, since claims 1-8 require that oxygen-containing solids be brought into contact with the graphite and heated up by means of induction, which is not required by claims 9-17, and claims 9-17 require that the graphite be in the form of a cuvette, which is not required by claims 1-8. The mere presence of a graphite material is too attenuated to be considered a "special technical feature".

Art Unit 1754

Because these inventions lack unity for the reasons given above, restriction for examination purposes as indicated is proper.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wayne A. Langel whose telephone number is (703) 308-0248. The examiner can normally be reached on Monday through Friday from 8 A.M. to 3:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman, can be reached on (703) 308-3837. The fax phone number for this Group is (703) 872-9306.

Serial No. 09/913,344

-4-

Art Unit 1754

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-2351.

WAL:cdc

November 25, 2003

Wayne A. Langel
WAYNE A. LANGEL
PRIMARY EXAMINER